ANALYTICA CHIMICA ACTA, VOL. 215 (1988)

AUTHOR INDEX

Abe, H.
—, Kanaya, S., Takahashi, Y. and Sasaki, S.-I.
Extended studies of the automated odor-sensing system based on plural semiconductor gas sensors with computerized pattern recognition techniques 155
Aguilar, M., see Figuerola, E. 283
Alegret, S., see Figuerola, E. 283

Beugelsdijk, T., see Bubernak, J. 337
Böhmer, R.G., see Faisca, A.M.M.M. 111, 317
Bubernak, J.
—, Stalnaker, N., Beugelsdijk, T., Stone, W., Waters, D. and Shalkowski, E.
Modification of a commercial automatic alpha counter for 2-π alpha counting 337

Carr, P.W., see Rutan, S.C. 131
Chao, W.-F.
—, Kai, M., Ishida, J., Ohkura, Y., Hara, S. and Yamaguchi, M.
1,2-diamino-4,5-ethylenedioxybenzene as a highly sensitive fluorogenic reagent for aromatic aldehydes 259
Clark, B.R.
—, DePaoli, D.W., McTaggart, D.R. and Patton, B.D.
An on-line voltammetric analyzer for trace metals in wastewater 13
Cooks, R.G., see Kascheres, C. 223

Dao, N.Q., see Gomy, C. 211
Dasgupta, P.K.
—, Vithanage, R.S. and Petersen, K.
Pulsed reagent introduction through a membrane reactor for flow-injection systems 277
De Márquez, O., see Ortiz, R. 307
De Pablo, J., see Figuerola, E. 283
DePaoli, D.W., see Clark, B.R. 13

Enke, C.G., see Wade, A.P. 169

Faisca, A.M.M.M.
—, Victor, A.H. and Böhmer, R.G.
Determination of trace elements in manganese metal and compounds by ion-exchange chromatography and atomic absorption spectrometry. Part 1. Determination of Li, Na, K, Be, Ti(IV), Mg, Ni, Ca and Al 111
Faisca, A.M.M.M.
—, Victor, A.H. and Böhmer, R.G.
Determination of trace elements in manganese and compounds by ion-exchange chromatography and atomic absorption spectrometry. Part 2. Determination of Bi, Cd, In, Zn, Pb, Fe(III), Ga, Cu(II), Co and U(VI) 317
Figuerola, E.
—, Florido, A., Aguilar, M., De Pablo, J. and Alegret, S. 283
Sequential flow-injection determination of cyanide and weak metal–cyanide complexes with flow-through heterogeneous membrane electrodes 283
Florido, A., see Figuerola, E 283
Fritz, J.S., see Strasburg, R.F. 311
Furusawa, M., see Tachibana, M. 347

Galante, L.J.
—, Wilson, D.A. and Hieftje, G.M.
Detection of ions by replacement-ion chromatography coupled to a microwave-induced nitrogen discharge at atmospheric pressure 99
Gallego, M., see Martinez-Jiménez, P. 233
Gallego, M., see Montero, R. 241
Garlick, S.M., see Morgan, M.S. 325
Gomy, C.
—, Jouan, M. and Dao, N.Q.
Méthode d'analyse quantitative par spectrométrie Raman-laser associée aux fibres optiques pour le suivi d'une fermentation alcoolique 211
Gotoh, M., see Tamiya, E. 301
Guiyan, Z.
—, Jinghe, Y. and Zhikun, S.
Study of the fluorescent dysprosium/EDTA/Tiron/surfactant system 331

Haapakka, K.
—, Kankare, J. and Lipiäinen, K.
Determination of polynuclear aromatic hydrocarbons in micellar solution by electrogenerated chemiluminescence 341
Hara, S., see Chao, W.-F. 259
Hara, S.
—, Yamaguchi, M., Takemori, Y., Yoshitake, T. and Nakamura, M.
1,2-diamino-4,5-methylenedioxybenzene as a highly sensitive fluorogenic reagent for α-dicarbonyl compounds 267
Hart, K.J., see Wade, A.P. 169
Hieftje, G.M., see Galante, L.J. 99
Ho, M.H.
— and Samanifar, M.
Spectrophotometric determination of formaldehyde by using formaldehyde dehydrogenase 249

Ishida, J., see Chao, W.-F. 259

Jiang, M., see Zhao, Z. 37
Jinghe, Y., see Guiyan, Z. 331
Johnson, D.C., see Ngoviwatchai, A. 1
Jouan, M., see Gomy, C. 211

Kai, M., see Chao, W.-F. 259
Kanaya, S., see Abe, H. 155
Kankare, J., see Haapakka, K. 341
Karpinchik, O.S., see Lukyanenko, N.G. 289
Karube, I., see Muramatsu, H. 91
Karube, I., see Tamiya, E. 301
Kascheres, C.
— and Cooks, R.G.
Isomer distinction by ion/molecule reactions in an ion trap: the case of C_2H_6 223
Koch, W.F., see Pratt, K.W. 21
Koshiishi, K., see Tachibana, M. 347
Krull, I.S., see Lacourse, W.R. 45

LaCourse, W.R.
— and Krull, I.S.
The mechanism of photoelectrochemical detection of alkyl and aryl ketones and aldehydes 45
Lipiäinen, K., see Haapakka, K. 341
Lukyanenko, N.G.
—, Nazarova, N. Yu., Karpinchik, O.S. and Melnik, O.T.
Cation selectivity of 13-crown-4 and bis(13-crown-4)derivatives 289
Lytle, F.E., see Steffen, R.L. 203

Mahon, M.J., see Morgan, M.S. 325
Mandenius, C.F.
In-situ ethanol probe based on sample dilution in a double-membrane system 71
Martinez-Jiménez, P.
—, Gallego, M. and Valcárcel, M.
Indirect atomic absorption spectrometric determination of some cationic surfactants by continuous liquid/liquid extraction with tetrathiocyanatocobaltate 233
Márquez, J., see Ortiz, R. 307
Márquez, O., de, see de Márquez, O. 307
McTaggart, D.R., see Clark, B.R. 13
Melnik, O.T., see Lukyanenko, N.G. 289
Mo, Z.-H., see Yao, S.-Z. 79
Montero, R.
—, Gallego, M. and Valcarcel, M.
Indirect atomic absorption spectrometric determination of local anaesthetics in pharmaceutical preparations with a flow-injection precipitation technique 241
Morgan, M.S.
—, van Trieste, P.F., Garlick, S.M., Mahon, M.J. and Smith, A.L.
Ultraviolet molar absorptivities of aqueous hydrogen peroxide and hydroperoxyl ion 325
Muramatsu, H.,
—, Tamiya, E., Suzuki, M. and Karube, I.
Viscosity monitoring with a piezoelectric quartz crystal and its application to determination of endotoxin by gelation of limulus amebocyte lysate 91

Nakamura, M., see Hara, S. 267
Nazarova, N. Yu., see Lukyanenko, N.G. 289
Neely, W.C.
—, Sheu, T.W. and Yang, T.C.
Indirect determination of aqueous ozone concentrations via oxidation of iron(II) 353
Nei, L.-H., see Yao, S.-Z. 79
Ngoviwatchai, A.
— and Johnson, D.C.
Pulsed amperometric detection of sulfur-containing pesticides in reversed-phase liquid chromatography 1

Ohkura, Y., see Chao, W.-F. 259
Ortiz, R.

—, de Márquez, O. and Márquez, J.
Cathodic stripping determination of halides in mixtures 307

Pablo, J., de, see de Pablo, J. 283
Palmer, P.T., see Wade, A.P. 169
Patton, B.D., see Clark, B.R. 13
Petersen, K., see Dasgupta, P.K. 277
Pratt, K.W.
— and Koch, W.F.
High-accuracy differential-pulse anodic stripping voltammetry with indium as an internal standard 21

Ramsay, G.
— and Turner, A.P.F.
Development of an electrochemical method for the rapid determination of microbial concentration and evidence for the reaction mechanism 61
Rutan, S.C.
— and Carr, P.W.
Comparison of robust regression methods based on least-median and adaptive Kalman filtering approaches applied to linear calibration data 131

Samanifar, M., see Ho, M.H. 249
Sasaki, S.-I., see Abe, H. 155
Scheeren, P.J.H., see Smit, H.C. 143
Scott, D.M., see Strasburg, R.F. 311
Seki, A., see Tamiya, E. 301
Shalkowski, E., see Bubernak, J. 337
Sheu, T.W., see Neely, W.C. 353
Shimizu, I., see Tamiya, E. 301
Sioda, R.E.
Theoretical mass-transfer coefficients for circular cylinders and spheres in cross flow 295
Smit, H.C.
— and Scheeren, P.J.H.
Characterization of responses to injection of microliter samples and to peak-shaped input signals for inductively-coupled plasma/atomic emission spectrometry 143
Smith, A.L., see Morgan, M.S. 325
Stalnaker, N., see Bubernak, J. 337
Steffen, R.L.
— and Lytle, F.E.
Multipoint measurements in optically dense media by using two-photon excited fluorescence and a fiber-optic star coupler 203
Stone, W., see Bubernak, J. 337
Strasburg, R.F.
—, Scott, D.M. and Fritz, J.S.
Measurement of column dead time in capillary gas chromatography 311
Suzuki, M., see Muramatsu, H. 91

Tachibana, M.
—, Koshiishi, K. and Furusawa, M.
Solvent effect on the simultaneous determination of anthracene and 5*H*-benzo[*b*]carbazole by synchronous fluorescence spectrometry 347
Taha, Z., see Wang, J. 29
Takahashi, Y., see Abe, H. 155
Takemori, Y., see Hara, S. 267
Tamiya, E., see Muramatsu, H. 91
Tamiya, E.
—, Seki, A., Karube, I., Gotoh, M. and Shimizu, I.
Hypoxanthine sensor based on an amorphous silicon field-effect transistor 301
Texter, J.
Stability constants for aqueous silver/bromide/thiocyanate complexes 187
Trieste, P.F., van, see van Trieste, P.F. 325
Tsurubou, S.
Ion-pair extraction of some cinchona alkaloids with various chiral organic anions 119
Turner, A.P.F., see Ramsay, G. 61

Valcárcel, M., see Martinez-Jiménez, P. 233
Valcárcel, M., see Montero, R. 241
Van Trieste, P.F., see Morgan, M.S. 325
Victor, A.H., see Faisca, A.M.M.M. 111, 317
Vithanage, R.S., see Dasgupta, P.K. 277

Wade, A.P.
—, Palmer, P.T., Hart, K.J. and Enke, C.G.
Development of algorithms for automated elucidation of spectral feature/substructure relationships in tandem mass spectrometry 169
Wang, J.
— and Taha, Z.
Stripping voltammetric determination of traces of catechol compounds preceded by adsorptive accumulation of metal complexes 29

Waters, D., see Bubernak, J. 337
Wilson, D.A., see Galante, L.J. 99

Yamaguchi, M., see Chao, W.-F. 259
Yamaguchi, M., see Hara, S. 267
Yang, T.C., see Neely, W.C. 353
Yao, S.-Z.,
—, Mo, Z.-H. and Nie, L.-H.
Determination of ultratrace iodide in aqueous solution with a piezoelectric detector 79
Yoshitake, T., see Hara, S. 267

Zhao, Z.
— and Jiang, M.
Linear-sweep polarographic determination of active chlorine in aqueous solutions containing phenylthiourea 37
Zhikun, S., see Guiyan, Z. 331

ANALYTICA CHIMICA ACTA

International journal devoted to all branches of analytical chemistry

(Abstracted, indexed in: Anal. Abstr.; Biol. Abstr.; Chem. Abstr.; Curr. Contents Phys. Chem. Earth Sci.; Life Sci.; Index Med.; Mass Spectrom. Bull.; Sci. Citation Index; Excerpta Med.)

VOL. 215 CONTENTS DECEMBER 15, 1988

Electrometric Methods

Pulsed amperometric detection of sulfur-containing pesticides in reversed-phase liquid chromatography
A. Ngoviwatchai and D.C. Johnson (Ames, IA, U.S.A.) 1

An on-line voltammetric analyzer for trace metals in wastewater
B.R. Clark, D.W. DePaoli, D.R. McTaggart and B.D. Patton (Oak Ridge, TN, U.S.A.) 13

High-accuracy differential-pulse anodic stripping voltammetry with indium as an internal standard
K.W. Pratt and W.F. Koch (Gaithersburg, MD, U.S.A.) 21

Stripping voltammetric determination of traces of catechol compounds preceded by adsorptive accumulation of metal complexes
J. Wang and Z. Taha (Las Cruces, NM, U.S.A.) 29

Linear-sweep polarographic determination of active chlorine in aqueous solutions containing phenylthiourea
Z. Zhao and M. Jiang (Wuchang, China) 37

The mechanism of photoelectrochemical detection of alkyl and aryl ketones and aldehydes
W.R. LaCourse and I.S. Krull (Boston, MA, U.S.A.) 45

Development of an electrochemical method for the rapid determination of microbial concentration and evidence for the reaction mechanism
G. Ramsay and A.P.F. Turner (Cranfield, Gt. Britain) 61

In-situ ethanol probe based on sample dilution in a double-membrane system
C.F. Mandenius (Lund, Sweden) 71

Determination of ultratrace iodide in aqueous solution with a piezoelectric detector
S.-Z. Yao, Z.-H. Mo and L.-H. Nie (Changsha, China) 79

Viscosity monitoring with a piezoelectric quartz crystal and its application to determination of endotoxin by gelation of limulus amebocyte lysate
H. Muramatsu (Chiba, Japan), E. Tamiya, M. Suzuki and I. Karube (Yokohama, Japan) 91

Separations

Detection of ions by replacement-ion chromatography coupled to a microwave-induced nitrogen discharge at atmospheric pressure
L.J. Galante, D.A. Wilson and G.M. Hieftje (Bloomington, IN, U.S.A.) 99

Determination of trace elements in manganese metal and compounds by ion-exchange chromatography and atomic absorption spectrometry. Part 1. Determination of Li, Na, K, Be, Ti(IV), Mg, Ni, Ca and Al
A.M.M.M. Faisca, A.H. Victor and R.G. Böhmer (Pretoria, South Africa) 111

Ion-pair extraction of some cinchona alkaloids with various chiral organic anions
S. Tsurubou (Gifu, Japan) 119

Computer Methods and Applications

Comparison of robust regression methods based on least-median and adaptive Kalman filtering approaches applied to linear calibration data
S.C. Rutan (Richmond, VA, U.S.A.) and P.W. Carr (Minneapolis, MN, U.S.A.) 131

(Continued overleaf)

(*Contents continued*)

Characterization of responses to injection of microliter samples and to peak-shaped input signals for inductively-coupled plasma/atomic emission spectrometry
H.C. Smit and P.J.H. Scheeren (Amsterdam, The Netherlands) 143
Extended studies of the automated odor-sensing system based on plural semiconductor gas sensors with computerized pattern recognition techniques
H. Abe, S. Kanaya, Y. Takahashi and S.-i. Sasaki (Toyohashi, Japan) 155
Development of algorithms for automated elucidation of spectral feature/substructure relationships in tandem mass spectrometry
A.P. Wade, P.T. Palmer, K.J. Hart and C.G. Enke (East Lansing, MI, U.S.A.) 169
Stability constants for aqueous silver/bromide/thiocyanate complexes
J. Texter (Rochester, NY, U.S.A.) 187

Spectrometric Methods
Multipoint measurements in optically dense media by using two-photon excited fluorescence and a fiber-optic star coupler
R.L. Steffen and F.E. Lytle (West Lafayette, IN, U.S.A.) 203
Méthode d'analyse quantitative par spectrométrie Raman-laser associée aux fibres optiques pour le suivi d'une fermentation alcoolique
C. Gomy, M. Jouan et N.Q. Dao (Chatenay Malabry, France) 211
Isomer distinction by ion/molecule reactions in an ion trap: the case of C_6H_8
C. Kascheres and R.G. Cooks (West Lafayette, IN, U.S.A.) 223
Indirect atomic absorption spectrometric determination of some cationic surfactants by continuous liquid/liquid extraction with tetrathiocyanatocobaltate
P. Martínez-Jiménez, M. Gallego and M. Valcárcel (Córdoba, Spain) 233
Indirect atomic absorption spectrometric determination of local anaesthetics in pharmaceutical preparations with a flow-injection precipitation technique
R. Montero, M. Gallego and M. Valcárcel (Córdoba, Spain) 241
Spectrophotometric determination of formaldehyde by using formaldehyde dehydrogenase
M.H. Ho and M. Samanifar (Birmingham, AL, U.S.A.) 249
1,2-diamino-4,5-ethylenedioxybenzene as a highly sensitive fluorogenic reagent for aromatic aldehydes
W.-F. Chao, M. Kai, J. Ishida, Y. Ohkura, S. Hara and M. Yamaguchi (Fukuoka, Japan) 259
1,2-diamino-4,5-methylenedioxybenzene as a highly sensitive fluorogenic reagent for α-dicarbonyl compounds
S. Hara, M. Yamaguchi, Y. Takemori, T. Yoshitake and M. Nakamura (Fukuoka, Japan) 267

Short Communications
Pulsed reagent introduction through a membrane reactor for flow-injection systems
P.K. Dasgupta, R.S. Vithanage and K. Petersen (Lubbock, TX, U.S.A.) 277
Sequential flow-injection determination of cyanide and weak metal–cyanide complexes with flow-through heterogeneous membrane electrodes
E. Figuerola, A. Florido, M. Aguilar, J. De Pablo (Barcelona, Spain) and S. Alegret (Bellaterra, Spain) 283
Cation selectivity of 13-crown-4 and bis(13-crown-4)derivatives
N.G. Lukyanenko, N. Yu. Nazarova, O.S. Karpinchik and O.T. Melnik (Odessa, U.S.S.R.) 289
Theoretical mass-transfer coefficients for circular cylinders and spheres in cross flow
R.E. Sioda (Kingston, RI, U.S.A.) 295
Hypoxanthine sensor based on an amorphous silicon field-effect transistor
E. Tamiya, A. Seki, I. Karube (Yokohama, Japan), M. Gotoh (Fujisawa, Japan) and I. Shimizu (Yokohama, Japan) 301

Cathodic stripping determination of halides in mixtures
R. Ortiz, O. de Márquez and J. Márquez (Mérida, Venezuela) 307
Measurement of column dead time in capillary gas chromatography
R.F. Strasburg, D.M. Scott and J.S. Fritz (Ames, IA, U.S.A.) 311
Determination of trace elements in manganese metal and compounds by ion-exchange chromatography and atomic absorption spectrometry. Part 2. Determination of Bi, Cd, In, Zn, Pb, Fe(III), Ga, Cu(II), Co and U(VI)
A.M.M.M. Faisca, A.H. Victor and R.G. Böhmer (Pretoria, South Africa) 317
Ultraviolet molar absorptivities of aqueous hydrogen peroxide and hydroperoxyl ion
M.S. Morgan, P.F. van Trieste, S.M. Garlick, M.J. Mahon and A.L. Smith (Philadelphia, PA, U.S.A.) 325
Study of the fluorescent dysprosium/EDTA/Tiron/surfactant system
Z. Guiyun, Y. Jinghe and S. Zhikun (Shandong, China) 331
Modification of a commercial automatic alpha counter for 2-π alpha counting
J. Bubernak, N. Stalnaker, T. Beugelsdijk, W. Stone, D. Waters and E. Shalkowski (Los Alamos, NM, U.S.A.) 337
Determination of polynuclear aromatic hydrocarbons in micellar solution by electrogenerated chemiluminescence
K. Haapakka, J. Kankare and K. Lipiäinen (Turku, Finland) 341
Solvent effect on the simultaneous determination of anthracene and 5*H*-benzo[*b*]carbazole by synchronous fluorescence spectrometry
M. Tachibana, K. Koshiishi and M. Furusawa (Yamanashi, Japan) 347
Indirect determination of aqueous ozone concentrations via oxidation of iron(II)
W.C. Neely, T.W. Sheu and T.C. Yang (Auburn, AL, U.S.A.) 353

Book Reviews 359

Author Index 369